



Product Service

Attestation of Conformity

No. N8A 092835 0406 Rev. 00**Holder of Attestation: Suzhou Inovance Technology Co., Ltd.**

No. 52, Tian E Dang Road, Wuzhong District
215104 Suzhou City, Jiangsu Province
PEOPLE'S REPUBLIC OF CHINA

**Product: Electronic frequency converter
(Integrated Elevator Controller AC Drive)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 64105253207601**Date,** 2026-03-25

(Kevin Liu)

Page 1 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 092835 0406 Rev. 00

Model(s):

NICE-L-C-4007-INT(a),
 NICE-L-C-4007-KZG-INT(a),
 NICE-L-C-4007-EU(a),
 NICE-L-C-4007-KZG-EU(a),
 NICE-L-C-4007S-INT(a),
 NICE-L-C-4007S-KZG-INT(a),
 NICE-L-C-4007S-EU(a),
 NICE-L-C-4007S-KZG-EU(a),
 NICE-L-C-4011-INT(a),
 NICE-L-C-4011-KZG-INT(a),
 NICE-L-C-4011-EU(a),
 NICE-L-C-4011-KZG-EU(a),
 NICE-L-C-4011S-INT(a),
 NICE-L-C-4011S-KZG-INT(a),
 NICE-L-C-4011S-EU(a),
 NICE-L-C-4011S-KZG-EU(a),
 NICE-L-C-4015-INT(a),
 NICE-L-C-4015-KZG-INT(a),
 NICE-L-C-4015-EU(a),
 NICE-L-C-4015-KZG-EU(a),
 NICE-L-C-4015S-INT(a),
 NICE-L-C-4015S-KZG-INT(a),
 NICE-L-C-4015S-EU(a),
 NICE-L-C-4015S-KZG-EU(a),
 NICE-L-C-2004-INT(a),
 NICE-L-C-2004-KZG-INT(a),
 NICE-L-C-2004-EU(a),
 NICE-L-C-2004-KZG-EU(a),
 NICE-L-C-2004S-INT(a),
 NICE-L-C-2004S-KZG-INT(a),
 NICE-L-C-2004S-EU(a),
 NICE-L-C-2004S-KZG-EU(a),
 NICE-L-C-2S02-INT(a),
 NICE-L-C-2S02-KZG-INT(a),
 NICE-L-C-2S02-EU(a),

Page 2 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 092835 0406 Rev. 00

NICE-L-C-2S02-KZG-EU(a),
NICE-L-C-2S02S-INT(a),
NICE-L-C-2S02S-KZG-INT(a),
NICE-L-C-2S02S-EU(a),
NICE-L-C-2S02S-KZG-EU(a),
NICE-L-C-2005-INT(a),
NICE-L-C-2005-KZG-INT(a),
NICE-L-C-2005-EU(a),
NICE-L-C-2005-KZG-EU(a),
NICE-L-C-2005S-INT(a),
NICE-L-C-2005S-KZG-INT(a),
NICE-L-C-2005S-EU(a),
NICE-L-C-2005S-KZG-EU(a),
NICE-L-C-2S03-INT(a),
NICE-L-C-2S03-KZG-INT(a),
NICE-L-C-2S03-EU(a),
NICE-L-C-2S03-KZG-EU(a),
NICE-L-C-2S03S-INT(a),
NICE-L-C-2S03S-KZG-INT(a),
NICE-L-C-2S03S-EU(a),
NICE-L-C-2S03S-KZG-EU(a),
NICE-L-C-2007-INT(a),
NICE-L-C-2007-KZG-INT(a),
NICE-L-C-2007-EU(a),
NICE-L-C-2007-KZG-EU(a),
NICE-L-C-2007S-INT(a),
NICE-L-C-2007S-KZG-INT(a),
NICE-L-C-2007S-EU(a),
NICE-L-C-2007S-KZG-EU(a),
NICE-L-C-2S04-INT(a),
NICE-L-C-2S04-KZG-INT(a),
NICE-L-C-2S04-EU(a),
NICE-L-C-2S04-KZG-EU(a),
NICE-L-C-2S04S-INT(a),
NICE-L-C-2S04S-KZG-INT(a),

Page 3 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 092835 0406 Rev. 00

NICE-L-C-2S04S-EU(a),
NICE-L-C-2S04S-KZG-EU(a)

Remark:

“(a)”: The model number may include a suffix
“XXXXXXXXXX”, where “XXXXXXXXXX” can be
blank or combination of any alphanumeric and/or
symbols that represents customer identity.

Brand:

INOVANCE



Parameters:

Rated Input:	See table 1-Model list
Rated Output:	See table 1-Model list
Construction:	Built-in
Overvoltage category:	III
Remark: - When installing the equipment, all requirements of the mentioned standard must be fulfilled and it should be suitably installed in closed electrical operation area, and fire/mechanical protection enclosure shall be provided. - For safe operation, a suitable external circuit breaker or fuse must be employed before installation.	

Page 4 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 092835 0406 Rev. 00

Table 1- Model list

Model No.	Rated Input	Rated Output
NICE-L-C-4007-INT(a)	3PH AC 380-440V 20.5A 50/60Hz	3PH AC 0-440V 18.0A 0- 99Hz 7.5kW
NICE-L-C-4007-KZG-INT(a)		
NICE-L-C-4007-EU(a)		
NICE-L-C-4007-KZG-EU(a)		
NICE-L-C-4007S-INT(a)		
NICE-L-C-4007S-KZG-INT(a)		
NICE-L-C-4007S-EU(a)		
NICE-L-C-4007S-KZG-EU(a)		
NICE-L-C-4011-INT(a)	3PH AC 380-440V 29.0A 50/60Hz	3PH AC 0-440V 27.0A 0- 99Hz 11kW
NICE-L-C-4011-KZG-INT(a)		
NICE-L-C-4011-EU(a)		
NICE-L-C-4011-KZG-EU(a)		
NICE-L-C-4011S-INT(a)		
NICE-L-C-4011S-KZG-INT(a)		
NICE-L-C-4011S-EU(a)		
NICE-L-C-4011S-KZG-EU(a)		
NICE-L-C-4015-INT(a)	3PH AC 380-440V 36.0A 50/60Hz	3PH AC 0-440V 33.0A 0- 99Hz 15kW
NICE-L-C-4015-KZG-INT(a)		
NICE-L-C-4015-EU(a)		
NICE-L-C-4015-KZG-EU(a)		
NICE-L-C-4015S-INT(a)		
NICE-L-C-4015S-KZG-INT(a)		
NICE-L-C-4015S-EU(a)		
NICE-L-C-4015S-KZG-EU(a)		

Page 5 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 092835 0406 Rev. 00

NICE-L-C-2004-INT(a)	3PH AC 220-240V 20.5A 50/60Hz	3PH AC 0-240V 18.0A 0-99Hz 4.0kW
NICE-L-C-2004-KZG-INT(a)		
NICE-L-C-2004-EU(a)		
NICE-L-C-2004-KZG-EU(a)		
NICE-L-C-2004S-INT(a)		
NICE-L-C-2004S-KZG-INT(a)		
NICE-L-C-2004S-EU(a)		
NICE-L-C-2004S-KZG-EU(a)	1PH AC 220-240V 17.9A 50/60Hz	3PH AC 0-240V 10.3A 0-99Hz 2.2kW
NICE-L-C-2S02-INT(a)		
NICE-L-C-2S02-KZG-INT(a)		
NICE-L-C-2S02-EU(a)		
NICE-L-C-2S02-KZG-EU(a)		
NICE-L-C-2S02S-INT(a)		
NICE-L-C-2S02S-KZG-INT(a)		
NICE-L-C-2S02S-EU(a)	3PH AC 220-240V 29.0A 50/60Hz	3PH AC 0-240V 27.0A 0-99Hz 5.5kW
NICE-L-C-2S02S-KZG-EU(a)		
NICE-L-C-2005-INT(a)		
NICE-L-C-2005-KZG-INT(a)		
NICE-L-C-2005-EU(a)		
NICE-L-C-2005-KZG-EU(a)		
NICE-L-C-2005S-INT(a)		
NICE-L-C-2005S-KZG-INT(a)	1PH AC 220-240V 25.3A 50/60Hz	3PH AC 0-240V 15.5A 0-99Hz 3.7kW
NICE-L-C-2005S-EU(a)		
NICE-L-C-2005S-KZG-EU(a)		
NICE-L-C-2S03-INT(a)		
NICE-L-C-2S03-KZG-INT(a)		

Page 6 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 092835 0406 Rev. 00

NICE-L-C-2S03-EU(a)		
NICE-L-C-2S03-KZG-EU(a)		
NICE-L-C-2S03S-INT(a)		
NICE-L-C-2S03S-KZG-INT(a)		
NICE-L-C-2S03S-EU(a)		
NICE-L-C-2S03S-KZG-EU(a)		
NICE-L-C-2007-INT(a)	3PH AC 220-240V 36.0A 50/60Hz	3PH AC 0-240V 33.0A 0-99Hz 7.5kW
NICE-L-C-2007-KZG-INT(a)		
NICE-L-C-2007-EU(a)		
NICE-L-C-2007-KZG-EU(a)		
NICE-L-C-2007S-INT(a)		
NICE-L-C-2007S-KZG-INT(a)		
NICE-L-C-2007S-EU(a)		
NICE-L-C-2007S-KZG-EU(a)		
NICE-L-C-2S04-INT(a)	1PH AC 220-240V 31.3A 50/60Hz	3PH AC 0-240V 19.0A 0-99Hz 4.0kW
NICE-L-C-2S04-KZG-INT(a)		
NICE-L-C-2S04-EU(a)		
NICE-L-C-2S04-KZG-EU(a)		
NICE-L-C-2S04S-INT(a)		
NICE-L-C-2S04S-KZG-INT(a)		
NICE-L-C-2S04S-EU(a)		
NICE-L-C-2S04S-KZG-EU(a)		

**Tested
according to:**

EN 61800-5-1:2007/A11:2021

Page 7 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.